

PanelView Plus 6 Terminals (700 To 1500)

Accessories

Logic Modules

Cat. No.	Power Input	Nonvolatile Flash/ RAM Memory	Communication	Marine Certified	Conformal Coated	Included Software
Logic Modules without Extended Features						
2711P-RP8A	AC	512 MB/512 MB	<ul style="list-style-type: none"> Ethernet RS-232 Network interface for comm module 	✓	—	<ul style="list-style-type: none"> Windows CE 6.0 operating system without extended features/file viewers FactoryTalk View Machine Edition runtime FactoryTalk ViewPoint software, version 1.2 or later
2711P-RP8D	DC	512 MB/512 MB		✓	—	
2711P-RP8DK	DC	512 MB/512 MB		✓	✓	
Logic Modules with Extended Features and File Viewers						
2711P-RP9A	AC	512 MB/512 MB	<ul style="list-style-type: none"> Ethernet RS-232 Network interface for comm module 	✓	—	<ul style="list-style-type: none"> Windows CE 6.0 operating system with extended features/file viewers FactoryTalk View Machine Edition runtime FactoryTalk ViewPoint software, version 1.2 or later
2711P-RP9D	DC	512 MB/512 MB		✓	—	
2711P-RP9DK	DC	512 MB/512 MB		✓	✓	

Display Modules

Cat. No.	Input Type	Display	Marine Certified	Conformal Coated	Built-in Antiglare Overlay
700 Model					
2711P-RDK7C	Keypad	7-in. color	—	—	—
2711P-RDK7CK	Keypad		—	✓	—
2711P-RDT7C	Touch		—	—	—
2711P-RDT7CK	Touch		—	✓	—
2711P-RDT7CM	Touch		✓	—	—
2711P-RDB7C	Keypad/Touch		—	—	—
2711P-RDB7CK	Keypad/Touch		—	✓	—
2711P-RDB7CM	Keypad/Touch		✓	—	—
1000 Model					
2711P-RDK10C	Keypad	10-4 in. color	—	—	—
2711P-RDT10C	Touch		—	—	—
2711P-RDT10CM	Touch		✓	—	—
2711P-RDB10C	Keypad/Touch		—	—	—
2711P-RDB10CM	Keypad/Touch		✓	—	—
1250 Model					
2711P-RDK12C	Keypad	12.1-in. color	—	—	—
2711P-RDK12CK	Keypad		—	✓	—
2711P-RDT12C	Touch		—	—	—
2711P-RDT12CK	Touch		—	✓	—
2711P-RDT12AG	Touch		—	—	✓
2711P-RDT12H *	Touch		—	—	—
2711P-RDB12C	Keypad/Touch		—	—	—
2711P-RDB12CK	Keypad/Touch		—	✓	—
1500 Model					
2711P-RDK15C	Keypad	15-in. color	—	—	—
2711P-RDT15C	Touch		—	—	—
2711P-RDT15AG	Touch		—	—	✓
2711P-RDB15C	Keypad/Touch		—	—	—

* This catalog number is a high-bright display module, indicated by the H at the end of cat. no., that is designed for outdoor applications. The high-bright display module can be used only with DC-power logic modules.

Communication Modules

Cat. No.	Communication Module Type				Conformal Coated	Marine Certified
	Ethernet	DH+	DH-485	ControlNet*		
2711P-RN6	–	✓	✓	–	–	–
2711P-RN6K	–	✓	✓	–	✓	–
2711P-RN15S	–	–	–	✓	–	✓
2711P-RN15SK	–	–	–	✓	✓	–
2711P-RN20	✓	–	–	–	–	–

* Scheduled and unscheduled communication.

Secure Digital Cards

Cat. No.	Description
1784-SD1	1 GB Secure Digital (SD) card
1784-SD2	2 GB Secure Digital (SD) card
2711C-RCSD	USB to SD adapter for secure digital (SD) card

Antiglare Overlays

Cat. No. *	Terminal Model	Operator Input		
		Keypad	Touch	Key/Touch
2711P-RGK7	700	✓	–	✓
2711P-RGT7		–	✓	–
2711P-RGK10	1000	✓	–	✓
2711P-RGT10		–	✓	–
2711P-RGK12	1250	✓	–	✓
2711P-RGT12		–	✓	–
2711P-RGK15	1500	✓	–	✓
2711P-RGT15		–	✓	–

* Three overlays are shipped with each catalog number.

Solar Visor

Cat. No.	Description
2711P-RVT12	Solar Visor for 1250 high-bright display module, cat. no. 2711P-RDT12H

Mounting Hardware

Cat. No.	Description	Quantity
2711P-RTMC	Mounting levers for 1000 only	8

Battery Replacement

Cat. No.	Description	Quantity
2711P-RY2032	CR2032 equivalent coin-cell battery replacement	1

Power Supply and Terminal Blocks

Cat. No.	Description
2711P-RSACDIN	DIN-rail mount, AC-to-DC power supply, 85...265VAC, 47...63 Hz
2711P-RTBAC3	AC power terminal block
2711P-RTBDC2	2-pin DC power terminal block (1000 only)

Backlight Replacements

Cat. No.	Display Size	Series	Quantity
2711P-RL7C	700	A and B	1
2711P-RL7C2		C and D	1
2711P-RL10C	1000	A	1
2711P-RL10C2		B and C	1
2711P-RL12C	1250	A and B	2
2711P-RL12C2		C	1
2711P-RL15C	1500	B	2

Bezel Replacements

Cat. No.	Description
2711P-RBK7	Replacement bezel for PanelView Plus 700 keypad terminals
2711P-RBT7	Replacement bezel for PanelView Plus 700 touch screen terminals
2711P-RBB7	Replacement bezel for PanelView Plus 700 keypad and keypad/touch terminals
2711P-RBK10	Replacement bezel for PanelView Plus 1000 keypad terminals
2711P-RBT10	Replacement bezel for PanelView Plus 1000 touch terminals
2711P-RBB10	Replacement bezel for PanelView Plus 1000 keypad and keypad/touch terminals
2711P-RBK12	Replacement bezel for PanelView Plus 1250 keypad terminals
2711P-RBT12	Replacement bezel for PanelView Plus 1250 touch terminals
2711P-RBT12H	Replacement bezel for PanelView Plus 1250 touch high-bright displays
2711P-RBB12	Replacement bezel for PanelView Plus 1250 keypad and keypad/touch terminals
2711P-RBK15	Replacement bezel for PanelView Plus 1500 keypad terminals
2711P-RBT15	Replacement bezel for PanelView Plus 1500 touch terminals
2711P-RBB15	Replacement bezel for PanelView Plus 1500 keypad and keypad/touch terminals

Adapter Plates

Cat. No.	Description
2711P-RAK4	Adapts a PanelView Plus 400 keypad or 600 touch to a PanelView Standard 550 Keypad
2711P-RAK6	Adapts a PanelView Plus 600 keypad to a PanelView Standard 600 keypad
2711P-RAK7	Adapts a PanelView Plus 700 Keypad or keypad/touch to a PanelView Standard 900 keypad
2711P-RAT7	Adapts a PanelView Plus 700 touch to a PanelView Standard 900 touch
2711P-RAK10	Adapts a PanelView Plus 1000 keypad or keypad/touch to a PanelView 1000/1000E keypad
2711P-RAT10	Adapts a PanelView Plus 1000 Touch to a PanelView 1000/1000E touch
2711P-RAK15	Adapts a PanelView Plus 1500 Keypad or keypad/touch to a PanelView 1200E/1400E keypad
2711P-RAT15	Adapts a PanelView Plus 1500 touch to a PanelView 1200E/1400E touch
2711P-RAK12E	Adapts a PanelView Plus 1250 (or PV1000/1000E) keypad or keypad/touch to a PanelView 1200/1400E keypad
2711P-RAT12E2	Adapts a PanelView Plus 1250 (or PV1000/1000E) touch to a PanelView 1200 touch
2711P-RAT12E	Adapts a PanelView Plus 1250 (or PV1000/1000E) touch to a PanelView 1200E/1400E touch
2711P-RAK12S	Adapts a PanelView Plus 1250 (or PV1000/1000E) keypad or keypad/touch to a PanelView Standard 1400 keypad
2711P-RAT12S	Adapts a PanelView Plus 1250 (or PV1000/1000E) touch to a PanelView Standard 1400 touch

Cables

Cat. No.	Description
2711C-CBL-UU02	USB host to USB device programming cable, 2 m (6.5 ft)
2711-NC13	RS-232 Operating/Programming Cable, 9-Pin D Shell to 9-Pin D Shell, 5 m (16.4 ft)
2711-NC14	RS-232 Operating/Programming Cable, 9-Pin D Shell to 9-Pin D Shell, 10 m (32.7 ft)
2711-NC17	Remote RS-232 Serial Cable
2711-NC21	RS-232 Operating Cable, 9-Pin D Shell to 8-Pin Mini DIN, 5 m (16.4 ft)
2711-NC22	RS-232 Operating Cable, 9-Pin D Shell to 8-Pin Mini DIN, 15 m (49 ft)
1761-CBL-AS03, -AS09	DH-485 Network Interface Cable (6-Pin Phoenix to RJ45)
2711P-CBL-EX04	Ethernet CAT5 crossover cable, 4.3 m (14 ft)

