

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Fixed socket-outlet

Name and address of the applicant

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX - FRANCE

Name and address of the manufacturer

LEGRAND FRANCE
128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX - FRANCE

Name and address of the factory

See annex

Note: When more than one factory, please report on page 2

 Additional Information on page 2

Ratings and principal characteristics

16 A, 250 V~

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

Series MOSAIC
References : see annex

Additional information (if necessary may also be reported on page 2)

Supersedes CBTC 683667/A1 dated 06/12/2016. Addition of references and accessories

 Additional Information on page 2


A sample of the product was tested and found to be in conformity with

IEC 60884-1:2002(ed.3) +A1:2006 +A2:2013

As shown in the Test Report Ref. No. which forms part of this Certificate

151662-712187 and reports listed in annex

This CB Test Certificate is issued by the National Certification Body

LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.frLABORATOIRE CENTRAL DES
INDUSTRIES ELECTRIQUES
S.A.S au capital de 15745000 €
RCS Nanterre 8408863174
33 Avenue du Général Leclerc
F - 92266 FONTENAY AUX ROSES

Date: 12/01/2018

Signature: **Jean-François BRUEL**
Certification Officer

ANNEX

Name and address of the factories:**LEGRAND FRANCE**

128 AVENUE DU MARECHAL DE LATTRE DE TASSIGNY
87045 LIMOGES CEDEX - FRANCE

LEGRAND FRANCE

ROUTE D'EVRON, BP 36
72140 SILLE LE GUILLAUME - FRANCE

LEGRAND FRANCE ISERE

PLACE DU BREUIL
38680 PONT EN ROYANS - FRANCE

LEGRAND MAGYARORSZAG VILLAMOSSAGI RENDSZEREK ZRT

IPARTELEPI UT 14 PF 10
6600 SZENTES - HUNGARY

NP Plastic Hungaria Kft.


IPARIS PARK 07/6
5440 KUNSZENMARTON - HUNGARY

PLASTIVALOIRE

ZI NORD
37130 LANGEAIS - FRANCE



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 12/01/2018

Signature: **Jean-François BRUEL**
Certification Officer

ANNEX (cont'd)

Other relevant documents part of this certificate:

Test Reports LCIE N°: 60021487-514363B, 60048013-548589, 60051320-552098/A1,
60051320-552296A/A1, 60051549-552343/A1, 60055255-555653/A1, 80640-569801/A1,
130899-663536CR2016-10-05, 140943-683663, 140943-683665A, 140943-683668A, 144476-692831.


REFERENCES - MAIN CHARACTERISTICS

| Type Reference | Number of sockets | | | | Terminals | Colour of cover | specificity | |
|----------------|-------------------|----------|----------|----------|-----------|-----------------|--|--|
| | 1 | 2 | 3 | 4 | | | | |
| - | 0 772 14 | | | | st | Red | tamperproof | |
| E21 | | 0 772 52 | 0 772 53 | 0 772 54 | slt | White | for trunking angle 45° | |
| | | 0 793 72 | 0 793 73 | | slt | Black | for trunking angle 45° | |
| | | 0 772 72 | 0 772 73 | 0 772 74 | slt | Red | for trunking angle 45° Grey push terminal | |
| | | 0 772 81 | 0 772 82 | 0 772 83 | slt | Red | for trunking angle 45° tamperproof | |
| | | 0 772 90 | | | slt | White | for trunking angle 45° for pilot light | |
| | | 0 772 91 | | | slt | Red | for trunking angle 45° for pilot light | |
| | | 0 772 92 | | | slt | Red | for trunking angle 45° tamperproof for pilot light | |
| E20 | | 0 792 82 | 0 792 83 | | slt | Aluminium | for trunking angle 45° | |
| | | 0 772 02 | 0 772 03 | | slt | White | for trunking with Soluclip | |
| | | 0 772 22 | 0 772 23 | | slt | Red | for trunking with Soluclip tamperproof | |
| | | 0 772 32 | 0 772 33 | | slt | Black | for trunking with Soluclip | |
| | | 0 772 42 | 0 772 43 | | slt | Red | for trunking with Soluclip | |
| | | 0 774 01 | 0 774 02 | 0 774 03 | 0 774 04 | slt | White | for trunking |
| | | 0 774 11 | 0 774 12 | 0 774 13 | 0 774 14 | slt | Red | for trunking |
| | | 0 774 21 | 0 774 22 | 0 774 23 | 0 774 24 | slt | Red | for trunking tamperproof |
| | | 0 774 31 | 0 774 32 | 0 774 33 | 0 774 34 | slt | White | for trunking with frame cv65 |
| | | 0 774 51 | 0 774 52 | 0 774 53 | 0 774 54 | slt | Red | for trunking with frame cv65 tamperproof |
| | | 0 774 61 | 0 774 62 | 0 774 63 | 0 774 64 | slt | White | for trunking with frame cv85 |
| | | 0 774 81 | 0 774 82 | 0 774 83 | 0 774 84 | slt | Red | for trunking with frame cv85 tamperproof |
| | | 0 776 01 | 0 776 02 | 0 776 03 | 0 776 04 | st | White | for trunking |
| | | 0 776 01 | 0 776 02 | 0 776 03 | 0 776 04 | st | White | for trunking |
| | | 0 776 11 | 0 776 12 | 0 776 13 | 0 776 14 | st | Red | for trunking |
| | 0 776 21 | 0 776 22 | 0 776 23 | 0 776 24 | st | Red | for trunking tamperproof | |

st : screw-type terminals
slt : screwless terminals



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 12/01/2018

Signature: **Jean-François BRUEL**
Certification Officer

ANNEX (cont'd)

Characteristics

| | |
|---|---|
| Standard sheet | III (CEE7) |
| Rated current(A) | 16A 250V |
| Degree of protection | IP20 IP44 with cover plates 0 788 80 and plates 0 897 -- |
| Provision of earthing | with earthing contact |
| Method of connecting | Rewirable |
| Type of terminals | screw-type or screwless (rigid and flexible) |
| Degree of protection against electric shock | normal protection |
| Existence of shutter | with shutters |
| Method of mounting | surface type with surface box flush-type floor-type with plates 0 897 - |
| Method of installation | design A design B with plates 0 897 - |

ACCESSORIES

Blanks

| References | Number of modules | Colour |
|------------|-------------------|---------------------|
| 0 770 70 | 1 | white |
| 0 792 70 | 1 | aluminium |
| 0 787 20 | 1 | white antibacterial |
| 0 770 71 | 2 | white |
| 0 791 81 | 2 | anthracite |
| 0 792 80 | 2 | aluminium |
| 0 787 21 | 2 | white antibacterial |
| 4 129 52 | 2 | grey |

Pilot light


| References | Voltage | Specificity |
|------------|---------|-----------------|
| 0 676 63 | 230V | Indicator green |
| 0 676 64 | 230V | Indicator white |

Frames - Between axes: 71mm, with screw

| References | Number of gang or modules | Specificity |
|------------|---------------------------|---|
| 0 802 51 | 1 gang | |
| 0 802 09 | 1 gang | sold by 100 |
| 0 802 60 | 1 gang | for illumination under frame |
| 0 802 62 | 1 gang | for indicator under frame |
| 0 802 59 | 3 modules | |
| 0 802 52 | 2 gangs | |
| 0 802 58 | 2 gangs | horizontal for illumination under frame |
| 0 802 57 | 2 gangs | vertical for illumination under frame |
| 0 802 53 | 3 gangs | |
| 0 802 54 | 4 gangs | |
| 0 802 64 | 2 x 2 gangs | |
| 0 802 66 | 2 x 3 gangs | |
| 0 802 68 | 2 x 10 modules | |



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 12/01/2018

Signature: Jean-François BRUEL
Certification Officer

ANNEX (cont'd)

Frames - Between axes: 71mm, with claws

| References | Number of gang or module | Specificity |
|------------|--------------------------|-------------|
| 0 802 61 | 1 gang | |
| 0 802 69 | 1 gang | long claws |

Frames - Between axes: Italy

| References | Number of gang or modules |
|------------|---------------------------|
| 0 802 13 | 3 modules |
| 0 802 14 | 4 modules |
| 0 802 16 | 6 modules |
| 0 802 93 | 3 modules CHILI |

Frame DLP

| References | Number of gang or modules | Specificity |
|------------|---------------------------|-------------|
| 0 109 21 | 2 modules | cv 65 |
| 0 109 41 | 4 modules | |
| 0 109 61 | 6 modules | |
| 0 109 81 | 8 modules | |
| 0 109 22 | 2 modules | cv 85 |
| 0 109 42 | 4 modules | |
| 0 109 62 | 6 modules | |
| 0 109 82 | 8 modules | |

Blanks

| References | Number of gang or modules |
|------------|---------------------------|
| 0 791 04 | 2 gangs |
| 0 791 06 | 3 gangs |
| 0 791 10 | 4 gangs |

Thin walls


| References | Number of gang or modules | Colour |
|------------|---------------------------|-----------|
| 0 802 91 | 2 modules | white |
| 0 802 95 | 2 modules | aluminium |

Modulars

| References | Number of gang or modules | Colour | Specificity |
|------------|---------------------------|--------|----------------------|
| 0 788 40 | 2 modules | white | cover for modular |
| 0 801 29 | 2 modules | white | DIN rail for modular |
| 0 802 99 | 2 modules | white | modular support |
| 4 129 50 | 2 modules | white | modular support |



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 12/01/2018

Signature: **Jean-François BRUEL**
Certification Officer

ANNEX (cont'd)

Kit box + frame + plate

| References | Number of gang or modules | Colour |
|------------|---------------------------|-----------|
| 0 788 72 | 2 x 4 modules | white |
| 0 788 73 | 3 x 4 modules | white |
| 0 788 74 | 4 x 4 modules | white |
| 0 790 72 | 2 x 4 modules | aluminium |
| 0 790 73 | 3 x 4 modules | aluminium |
| 0 790 74 | 4 x 4 modules | aluminium |

Kit surface box + frame + plate

| References | Number of gang or modules | Colour |
|------------|---------------------------|-----------|
| 0 788 82 | 2 x 4 modules | white |
| 0 788 83 | 3 x 4 modules | white |
| 0 788 84 | 4 x 4 modules | white |
| 0 790 82 | 2 x 4 modules | aluminium |
| 0 790 83 | 3 x 4 modules | aluminium |
| 0 790 84 | 4 x 4 modules | aluminium |

Boxes for surface mounting


| References | Number of gang or modules | Specificity |
|------------|---------------------------|-------------|
| 0 802 80 | 1 gang | Depth 30mm |
| 0 802 81 | 1 gang | Depth 40mm |
| 0 802 82 | 2 gangs | vertical |
| 0 802 83 | 3 gangs | vertical |
| 0 802 84 | 4 gangs | |
| 0 802 85 | 2 gangs | horizontal |
| 0 802 86 | 3 gangs | horizontal |
| 0 802 89 | 3 modules | |
| 0 802 74 | 2 x 2 gangs | |
| 0 802 76 | 2 x 3 gangs | |
| 0 802 78 | 2 x 10 modules | |

Plates for floor recessed type

| References | Designation |
|------------|---|
| 0 897 00 | Square plate to be equipped, 1 gang inox - IP44 IK08 |
| 0 897 01 | Round plate to be equipped, 1 gang inox - IP44 IK08 |
| 0 897 10 | Square plate to be equipped, 1 gang bronze - IP44 IK08 |
| 0 897 11 | Round plate to be equipped, 1 gang bronze - IP44 IK08 |
| 0 897 02 | Rectangle plate to be equipped, 2 gang inox - IP44 IK08 |
| 0 897 12 | Rectangle plate to be equipped, 2 gang bronze - IP44 IK08 |



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 12/01/2018

Signature: **Jean-François BRUEL**
Certification Officer


ANNEX (cont'd)

Cover plates - Between axes: 71mm

| References | Number of gang or modules | Colour | Specificity | Frame |
|------------|---------------------------|---------------------|-------------|--|
| 0 788 02 | 1 gang 2 modules | white | sold by 100 | 0 802 51, 0 802 60, 0 802 61, 0 802 62, 0 802 69 |
| 0 788 99 | | white | | |
| 0 790 02 | | aluminium Z | | |
| 0 787 22 | | white antibacterial | | |
| 0 793 02 | | aluminium | | |
| 0 790 42 | 3 modules | anthracite | | 0 802 59 |
| 0 788 03 | | white | | |
| 0 790 03 | | aluminium Z | | |
| 0 793 03 | 2 x 2 modules | aluminium | horizontal | 0 802 52, 0 802 58 |
| 0 788 04 | | white | | |
| 0 787 25 | | white antibacterial | | |
| 0 793 04 | | aluminium | | |
| 0 790 44 | 2 x 2 modules | anthracite | vertical | 0 802 52, 0 802 57 |
| 0 788 22 | | white | | |
| 0 787 23 | | white antibacterial | | |
| 0 793 22 | | aluminium | | |
| 0 790 62 | | anthracite | | |
| 0 788 14 | 4 modules | white | horizontal | 0 802 52, 0 802 58 |
| 0 790 14 | | aluminium Z | | |
| 0 787 24 | | white antibactéria | | |
| 0 793 14 | | aluminium | | |
| 0 790 54 | 5 modules | anthracite | vertical | 0 802 52, 0 802 57 |
| 0 788 25 | | white | | |
| 0 790 25 | | aluminium Z | | |
| 0 793 25 | 5 modules | aluminium | horizontal | 0 802 52, 0 802 58 |
| 0 788 15 | | white | | |
| 0 793 15 | 3 x 2 modules | aluminium | horizontal | 0 802 53 |
| 0 788 06 | | white | | |
| 0 793 06 | | aluminium | | |
| 0 790 46 | 3 x 2 modules | anthracite | vertical | 0 802 53 |
| 0 788 23 | | white | | |
| 0 790 23 | | aluminium Z | | |
| 0 793 23 | 6 modules | aluminium | | 0 802 53 |
| 0 788 16 | | white | | |
| 0 790 16 | | aluminium Z | | |
| 0 787 26 | | white antibacterial | | |
| 0 793 16 | | aluminium | | |
| 0 790 56 | 8 modules | anthracite | | 0 802 53 |
| 0 788 18 | | white | | |
| 0 790 18 | | aluminium Z | | |
| 0 793 18 | | aluminium | | |
| 0 790 58 | | anthracite | | |



LCIE – Laboratoire Central des Industries Electriques
 33, avenue du Général Leclerc – BP8
 FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 12/01/2018

 Signature: **Jean-François BRUEL**
 Certification Officer

ANNEX (end)

Cover plates - Between axes: 71mm

| References | Number of gang or modules | Colour | Specificity | Frame |
|------------|---------------------------|---------------------|-------------|--------------------|
| 0 788 38 | 2 x 2 x 2 modules | white | | 0 802 64 |
| 0 790 38 | | aluminium Z | | |
| 0 793 38 | | aluminium | | |
| 0 788 30 | 2 x 5 modules | white | | 0 802 64 |
| 0 793 30 | | aluminium | | |
| 0 788 32 | 2 x 3 x 2 modules | white | | 0 802 66 |
| 0 790 32 | | aluminium Z | | |
| 0 793 32 | | aluminium | | |
| 0 788 36 | 2 x 6 modules | white | | 0 802 66 |
| 0 790 36 | | aluminium Z | | |
| 0 793 36 | | aluminium | | |
| 0 790 76 | | anthracite | | |
| 0 788 37 | 2 x 8 modules | white | | 0 802 66 |
| 0 793 37 | | aluminium | | |
| 0 790 77 | | anthracite | | |
| 0 788 80 | 2 modules | white antibacterial | IP44 | 0 802 51, 0 802 61 |
| 0 788 08 | 4 x 2 modules | white | horizontal | 0 802 54 |
| 0 790 08 | | aluminium Z | | |
| 0 793 08 | | aluminium | | |
| 0 788 10 | 10 modules | white | | 0 802 54 |
| 0 790 10 | | aluminium Z | | |
| 0 793 10 | | aluminium | | |
| 0 788 28 | 2 x 10 modules | white | | 0 802 68 |
| 0 793 28 | | aluminium | | |

Cover plates - Between axes: 57mm

| References | Number of gang or modules | Colour | Specificity | Frame |
|------------|---------------------------|-----------|-------------|------------------------------|
| 0 788 54 | 2 x 2 modules | white | vertical | 0 802 51, 0 802 61 |
| 0 793 54 | | aluminium | | |
| 0 788 64 | 2 x 2 modules | white | horizontal | 0 802 51, 0 802 61, 0 802 14 |
| 0 793 64 | | aluminium | | |
| 0 788 56 | 3 x 2 modules | white | vertical | 0 802 51, 0 802 61 |
| 0 788 66 | 3 x 2 modules | white | horizontal | 0 802 51, 0 802 61, 0 802 16 |

Cover plates - Between axes: Italy


| References | Number of gang or modules | Colour | Specificity | Frame |
|------------|---------------------------|--------|-------------|--------------------|
| 0 788 91 | 1 module | White | | 0 802 13, 0 802 93 |
| 0 788 92 | 2 modules | White | centred | 0 802 13, 0 802 94 |
| 0 788 93 | 3 modules | White | vertical | 0 802 13, 0 802 95 |
| 0 788 94 | 2 modules | White | separated | 0 802 13, 0 802 96 |
| 0 788 90 | | White | blank | 0 802 13, 0 802 97 |

Cover -IP 44

| References | Number of gang or modules | Colour | Specificity | Frame |
|------------|---------------------------|---------------------|-------------|--------------------|
| 0 788 80 | 2 modules | white antibacterial | IP44 | 0 802 51, 0 802 61 |



LCIE – Laboratoire Central des Industries Electriques
33, avenue du Général Leclerc – BP8
FR 92 266 Fontenay aux Roses Cedex
www.lcie.fr



Date: 12/01/2018

Signature: Jean-François BRUEL
Certification Officer