

## Mosaic™ Programme mechanisms

## audio and video sockets











0.0.

Selection chart for boxes, supports and plates **p. 900-901** 

Pack	Cat.Nos	HDMI type A sockets
		Used to transmit high-definition digital audio/ video streams between a source (computer, Blu-ray player) and a compatible receiver (TV, videoprojector)
		Preterminated HDMI 1.4 - 1 module Equipped with cord, length 15 cm
1	0 787 78 0 793 78	White Alu
1	0 787 68¹ 0 792 75¹	Screw-type sockets HDMI 1.3 - 2 modules  White Alu
		HDMI extender
1	0 517 38	Extends HDMI audio/video signals up to 60m and up to a 4K resolution using HDBaseT Lite technology Support of IR control allows a device to be remotely controlled Used to connect remote HDMI terminals up to 57 m  The kit comprises transmitter and receiver units as well as power supplies The transmitter and receiver are linked by an RJ 45/RJ 45 cable (not supplied) (see p. 736) Compatible with 4K, 3D, EDID and HDCP Including infrared control Certified HDBaseT
		Display port sockets
		Used to transmit high-definition digital audio/video streams between a source (laptop, computer, etc) and a compatible receiver (videoprojector, TV)
1	0 787 91	Preterminated socket - 1 module Equipped with cord, length 15 cm  O White

Pack	Cat.Nos	HD15 sockets
		Used to transmit analog video streams (VGA, XGA UXGA depending on graphic card) between a source (computer) and a compatible receiver (video projector, TV)
1	0 707 77	Preterminated sockets - 1 module Equipped with cord, length 15 cm
1	0 787 77 0 793 77	○ White • Alu
1	0 787 57¹ 0 792 57¹	Screw-type sockets - 2 modules  White Alu
1	0 787 74	Screw-type socket + 3.5 mm Jack - 2 modules  White
1	0 787 72	Solder-type socket - 1 module 15 pin  White

1: Can be installed in receptacles for floor sockets (p. 479)



Audio/video patch panels, cables and cords,

p. 756





Multiparticipants system,

p. 757

